



**V-GUARD**

Water Heaters

*Refresh Karein Zindagi*







### **V-Guard. Quality you can trust**

V-Guard, India's leading electrical and electronics major, is a name trusted by over 50 million customers, over the past three decades. Renowned for innovative products, world-class quality standards and technological excellence, it is also India's No.1 Voltage Stabilizer brand.

V-Guard offers a wide range of products built for day to day modern living, including Electronic Stabilizers, Digital Stabilizers, Stabilizer for Air Conditioners, UPS, Digital UPS, Electric Water Heaters, Solar Water Heaters, Pumps, Wiring Cables, Industrial Cables, Fans, Switch Gears, Induction Cooktops, Mixer Grinder & Solar Inverter.

Designed and developed by V-Guard's ISO 9001:2008 certified and DSIR recognized R&D, these products are made from high-quality components, quality checked at all stages through the manufacturing process and equipped with latest technology and advanced features to deliver superior performance. V-Guard products are made available with more than 20000 Authorized Dealers and 500 Distributors with a pan India presence.





## V-Guard Water Heaters.

### Beauty engineered to last a lifetime.

V-Guard presents a range of revolutionary water heaters especially created and designed for your bath rooms. Crafted using high-quality components and engineered to perfection, the V-Guard water heater range is the perfect choice for your home. Available in a wide range of capacities and price points and in eye catching designs and colours, these water heaters will spruce up your bathroom like no other.

Features and Specifications include: 304 L Grade TATA/JINDAL Stainless Steel inner container, manufactured as per ISI specifications, high-endurance ISI marked heating element and top-quality engineered polymer/powder-coated mild steel body for impeccable finish and durability. State-of-the-Art WPE (Water Pressure Endurance) Technology/IPCS (Intelligent Power Cut-off System) Technology, Vitreous Enamel Coating (Inner tank) and enhanced PUF (Poly Urethane Foam) insulation for up to 50% energy saving over ISI standards. Advanced features include 'Penta Protection System' for total user safety. Capable of handling high water pressure and suitable for domestic and commercial purposes and also all kinds of buildings- high-rise or others.

### V-Guard Pebble

The hot new model in the V-Guard water heaters range is the amazing Pebble. Available in the market in two variants called Pebble and Pebble (Metallica), this ergonomically & aesthetically designed range of water heaters comes with a unique 3 mm thick coating, using an Engineered Polymer Anti Corrosion [EPAC] technology which separates the tank from any kind of water and guarantees resistance to rust, thus increasing the life span of the product.



# Pebble (Metallica Series)







- Electric water heater with ABS outer body and 0.3 cm (3mm) thick EPAC (Engineered Polymer Anti Corrosion) coated inner tank to suit any kind of water
- 5 star rating as per BEE standard
- Metallic finish front panel, colour change option to suit the bathroom interior
- Vitreous enamel coated incoloy heating element for long life
- Adjustable capillary thermostat for temperature regulation
- Pressure pump / multistoried building usage compatibility with 8kg/cm<sup>2</sup> pressure withstanding
- Multi functional safety valve
- Pebble Metallica series comes with a product warranty of 3 years and heating element warranty of 4 years and inner tank warranty of 10 years



Capacity	Model Name	Rating In Watts	Star rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm <sup>2</sup> (Max)
6 Ltr	Pebble 6 (Metallica Series)	2000	5 Star	29.3	31.35	V	8
10 Ltr	Pebble 10 (Metallica Series)	2000	5 Star	33.2	35.3	V	8
15 Ltr	Pebble 15 (Metallica Series)	2000	5 Star	35.6	38.4	V	8
25 Ltr	Pebble 25 (Metallica Series)	2000	5 Star	38.6	46.85	V	8



# Pebble Series







- Electric water heater with ABS outer body and 0.3 cm (3mm) thick EPAC (Engineered Polymer Anti Corrosion) coated inner tank to suit any kind of water • 5 star rating as per BEE standard
- Interchangeable colour panel option to suit the bathroom interior • Vitreous enamel coated incoloy heating element for long life • Adjustable capillary thermostat for temperature regulation • Pressure pump / multistoried building usage compatibility with 8kg/cm<sup>2</sup> pressure withstanding • Multi functional safety valve • Pebble series comes with a product warranty of 2 years and heating element warranty of 4 years and inner tank warranty of 7 years



Capacity	Model Name	Rating In Watts	Star rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm <sup>2</sup> (Max)
6 Ltr	Pebble 6	2000	5 Star	29.3	31.35	V	8
10 Ltr	Pebble 10	2000	5 Star	33.2	35.3	V	8
15 Ltr	Pebble 15	2000	5 Star	35.6	38.4	V	8
25 Ltr	Pebble 25	2000	5 Star	38.6	46.85	V	8



*Sprinhot & Sprinhot Metro Series*





# Electric water heaters



1 Ltr Metro

3 Ltr Metro

1 Ltr

3 Ltr

- Outer cover made of rust proof ABS material • Inner tank made of 304 grade Stainless Steel • Can with stand pressure up to 6.5Kg/cm<sup>2</sup> \*
- Heating Element with ISI mark for extra long life • Automatic temperature regulation through thermostat • Safety devices.



Capacity	Model Name	Rating In Watts	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm <sup>2</sup> (Max)
1 Ltr	Sprinhot	3000/4500	15.6	27.5	V	3.5
3 Ltr	Sprinhot	3000/4500	21.1	31.1	V	3.5
1 Ltr	Sprinhot Classic	3000	15.6	27.5	V	3.5
3 Ltr	Sprinhot Classic	3000	21.1	31.1	V	3.5
1 Ltr	*Sprinhot Metro	3000	15.6	27.5	V	6.5
3 Ltr	*Sprinhot Metro	3000	21.1	31.1	V	6.5

*Sprinhot Plus*





**V-GUARD®**  
Water Heaters



6 Ltr

10 Ltr

15 Ltr

25 Ltr

35 Ltr



- Outer cover made of rust proof ABS material • PUF insulation to minimize heat loss and reduce power consumption • Inner tank made of 304L Grade TATA/ JINDAL stainless Steel • 15 & 25 Ltr capacities can withstand pressure up to 6.5 Kg/cm<sup>2</sup>. All other capacities can withstand pressure up to 3.5 Kg/cm<sup>2</sup>. • ACC protection in inner tank • Heating Element with ISI mark for extra long life • 5 Star rated from BEE for 50% Energy saving technology • Adjustable capillary thermostat in 15, 25 & 35 Ltr • Available in Attractive Ivory colour
- Penta Safety System • Sacrificial anode for extra long life .



Capacity	Model Name	Rating In Watts	Star rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm <sup>2</sup> (Max)
6Ltr	Sprinhot Plus 6	3000	5 Star	25.5	36.4	V	3.5
10 Ltr	Sprinhot Plus 10	3000	5 Star	29.7	41.2	V	3.5
15 Ltr	Sprinhot Plus 15	2000	5 Star	32.1	44.7	V/F	6.5
25 Ltr	Sprinhot Plus 25	2000	5 Star	38.7	57.8	V/H	6.5
35 Ltr	Sprinhot 35	2000	-	38.7	57.8	V/H	3.5

# Steamer



V-GUARD

**POWER SAVINGS GUIDE**

Standby Loss (kWh / 24hr)  
**0.724**


Label Period: 1st July 2014 - 30th June 2015

Equipment	Storage Electric Water Heater
Brand	V-GUARD
Model / Year	Steamer Plus M20 8L 2014
Rated Capacity	20L (l)
Rated Power	2000 Watts

READ INSTRUCTIONS BEFORE INSTALLATION

MAINS   HEATING





6 Ltr

10 Ltr

15 Ltr

25 Ltr

35 Ltr

50 Ltr

- Outer cover made of Powder coated mild Steel
- Non Hygroscopic Glass Wool insulation to minimize heat loss and reduce power consumption
- Inner tank made of 304L Grade TATA/ JINDAL stainless Steel
- 15 & 25 Ltr capacities can withstand pressure up to 6.5 Kg/cm<sup>2</sup>
- All other capacities can withstand pressure up to 3.5Kg/cm<sup>2</sup>
- ACC protection in inner tank
- Heating Element with ISI mark for extra long life
- 3 star & 2 star rated from BEE for its Energy saving technology
- High quality capillary thermostat
- Available in Attractive Ivory colour
- Penta Safety System
- Sacrificial anode for extra long life.



Capacity	Model Name	Rating In Watts	Star rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm <sup>2</sup> (Max)
6Ltr	Steamer 6	3000	3 Star	25	34	V	3.5
10 Ltr	Steamer 10	3000	3 Star	25	41.5	V	3.5
15 Ltr	Steamer 15	2000	3 Star	30.3	41	V/H or U	6.5
25 Ltr	Steamer 25	2000	3 Star	35.5	46.5	V/H or U	6.5
35 Ltr	Steamer 35	2000	2 Star	35.5	61	V/H or U	3.5
50 Ltr	Steamer 50	3000	2 Star	42	62	V/F	3.5

# Krystal Plus








6 Ltr                      10 Ltr                      15 Ltr                      25 Ltr

- Outer cover made of rust proof ABS material in attractive white colour • PUF insulation to minimize heat loss and reduce power consumption
- Inner tank made of high-quality Steel with vitreous enamel coating • Suitable for multi-storied building and can withstand pressure up to 8 Kg/cm<sup>2</sup> • High-quality Incoloy 840 Heating element • 5 Star & 4 Star rated from BEE for its Energy saving technology • Capillary thermostat for external temperature control • Sacrificial Anode for extended life span • Safety devices • Multi function valve.



Capacity	Model Name	Rating In Watts	Star Rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm <sup>2</sup> (Max)
6 Ltr	Krystal Plus 6	2000	4 Star	30.5	30.5	V	8
10 Ltr	Krystal Plus 10	2000	4 Star	34.5	34.5	V	8
15 Ltr	Krystal Plus 15	2000	5 Star	38.5	38.5	V	8
25 Ltr	Krystal Plus 25	2000	5 Star	43.5	43.5	V	8

# Steamer Plus MS







15 Ltr

25 Ltr

35 Ltr

50/100 Ltr

- Outer cover made of high-quality Powder coated Mild Steel & ABS end covers
- PUF insulation to minimize heat loss and reduce power consumption
- Inner tank made of High-quality steel with Vitreous Enamel coating
- Suitable for multi-storied building and can withstand pressure up to 8 Kg/cm<sup>2</sup>
- High- quality Incoloy 840 heating Element
- Capillary thermostat for external temperature control
- Sacrificial Anode for extended life span
- Analogue temperature indicator
- Safety devices
- Multi function valve.



Capacity	Model Name	Rating In Watts	Star Rating	Body Dia (in cm)	Body Length (in cm)	Version of mounting	Working pressure Kg/cm <sup>2</sup> (Max)
15 Ltr	Steamer Plus MS 15	2000	4 Star	30	52	H	8
25 Ltr	Steamer Plus MS 25	2000	4 Star	30	75.4	H	8
35 Ltr	Steamer Plus MS 35	2000	–	35	68	H	8
50 Ltr	Steamer Plus MS 50	3000	–	39	74.6	H	8
80 Ltr	Steamer Plus MS 80	3000	–	46	81	H	8
100 Ltr	Steamer Plus MS 100	3000	–	46	96	H	8

# Steamer Plus MSV







15 Ltr                      25 Ltr                      35Ltr                      50Ltr                      80/100Ltr

- Outer cover made of high-quality Powder coated Mild Steel & ABS end covers
- PUF insulation to minimize heat loss and reduce power consumption
- inner tank made of High-quality steel with Vitreous Enamel coating
- Suitable for multi-storied building and can withstand pressure up to 8 Kg/cm<sup>2</sup>
- High-quality Incoloy 840 heating Element
- 5 Star & 4 Star rated from BEE for its Energy saving technology
- Capillary thermostat for external temperature control
- Sacrificial Anode for extended life span
- Analogue temperature indicator
- Safety devices
- Multi function valve.



Capacity	Model Name	Rating In Watts	Star Rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm <sup>2</sup> (Max)
15 Ltr	Steamer Plus MSV 15	2000	5 Star	30	46	V	8
25 Ltr	Steamer Plus MSV 25	2000	5 Star	35	54.5	V	8
35 Ltr	Steamer Plus MSV 35	2000	4 Star	35	68	V	8
50 Ltr	Steamer Plus MSV 50	3000	4 Star	39	74.5	V	8
80 Ltr	Steamer Plus MSV 80	3000	-	46	77	V	8
100 Ltr	Steamer Plus MSV 100	3000	4 Star	46	91	V	8

# Steamer Plus MS Sleek







15 Ltr

25 Ltr

- Outer cover made of rust proof engineered polymer material in attractive white colour
- PUF insulation to minimize heat loss and reduce power consumption
- inner tank made of High-quality steel with Vitreous Enamel coating
- Suitable for multi-storied building and can withstand pressure up to 8 Kg/cm<sup>2</sup>
- High- quality Incoloy 840 heating Element
- Capillary thermostat for external temperature control
- Sacrificial Anode for extended life span
- Safety devices
- Multi function valve



Capacity	Model Name	Rating In Watts	Star Rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm <sup>2</sup> (Max)
15 Ltr	Steamer Plus MS Sleek 15	2000	4 star	28.5	53.5	V/H	8
25 Ltr	Steamer Plus MS Sleek 25	2000	4 star	28.5	79	V/H	8

# Steamer Plus MSH







10 ltr

• Outer cover made of rust proof ABS material in attractive white colour • PUF insulation to minimize heat loss and reduce power consumption • Inner tank made with high quality steel with 0.3 cm (3mm) thick EPAC (Engineered Polymer Anti Corrosion) coated to suit any kind of water • Suitable for multi-storied building and can withstand pressure up to 8 Kg/cm<sup>2</sup> • High- quality Incoloy 840 heating Element • Capillary thermostat for external temperature control • Sacrificial Anode for extended life span • Safety devices • Multi function valve.



Capacity	Model Name	Rating In Watts	Body Dia (in cm)	Body Length (in cm)	Version of mounting	Working pressure Kg/cm <sup>2</sup> (Max)
10 Ltr	Steamer Plus MSH	2000	23.5	44.4	H	8

# Safeflo Plus



For use in well ventilated areas only  
Keep ON / OFF switch in OFF position while water heater is not working



Gas water heaters



6 Ltr

6 Ltr

- Suitable for Ultra Low Pressure application
- Automated Ignition System
- Instant heating
- Extra protection with Double solenoid valve
- Over heat Protection
- 20 minute gas flow cut-off timer
- PRV for water high pressure protection
- Suitable for multi-storied buildings
- Summer/Winter burner selection
- SS burner
- Copper heat exchanger.



Capacity	Model Name	Water Pressure	Gas Pressure (LPG)	Rated heat load	Power (Dry battery)
6 Ltr	Safeflo Plus	0.008-8 kg/cm <sup>2</sup>	0.028 kg/cm <sup>2</sup>	12 kw	1.5VX2 nos
6 Ltr	Safeflo Prime	0.008-8 kg/cm <sup>2</sup>	0.028 kg/cm <sup>2</sup>	12 kw	1.5VX2 nos



DO NOT COVER

OSC

V-GUARD

PTC 2000



Room Heaters



Immersion Heaters

RH3HT1000

PTC-2000

RH2HC-2100

FH2HC-2000

Immersion Heater -VIH 101- VIH 151

**RH3HT1000** New dual tone sleek design • Wider angle Oscillation • Instant Heating • 400/800/1200 Watt Heat Settings • Over Heat Protection • Automatic Tip over protection.

**RH4HT1000** New dual tone sleek design • Wider angle Oscillation • Instant Heating • 400/800/1200/1600 Watt Heat Settings • Over Heat Protection • Automatic Tip over protection.

**PTC-2000** Triple protection against over heating • Compact and elegant design • 1000/2000 W Heat Settings • Low noise performance • Faster Heating • Fan only mode

**RH2HC-2100** Double protection against over heating • Compact and elegant design • 1000/2000 W Heat Settings • Low noise performance • Faster Heating • Fan only mode

**FH2HC2000** Faster Heating • Low noise performance • 1000/2000 W Heat Settings • Triple protection against over heating

**Immersion Heater -VIH 101- VIH 151** Engineering plastic handle ensuring complete protection against shock • Specially designed heating element for quick heating • Indicator for power on • Hanging hook for safe operation • Copper tube element with long lasting nickel plating for long element life • Water level indicator

Model	Rated Power	Rated Voltage
RH3HT1000	1200 Watts	230 V AC 50 Hz
RH4HT 1000	1600 Watts	230 V AC 50 Hz
PTC-2000	2000 Watts	230 V AC 50 Hz
RH2HC-2100	2000 Watts	230 V AC 50 Hz
FH2HC 2000	2000 Watts	230 V AC 50 Hz

Model	Rated Power	Rated Voltage
VIH 101	1000 Watts	230 V AC 50 Hz
VIH 151	1500 Watts	230 V AC 50 Hz



*Refresh Karein Zindagi*



CIN: L31200KL1996PLC010010

**V-GUARD INDUSTRIES LTD.** Branch Offices: South Zone • Bangalore Ph: 080 25280866 • Hubli Ph: 0836 2272942 • Coimbatore Ph: 0422 2457578 • Chennai Ph: 044 22248215 • Madurai Ph: 0452 2348666 • Hyderabad Ph: 040 24221841 • Vijayawada Ph: 0866 2474374 **North Zone** • Delhi Ph: 011 32954434 • Dehradun Ph: 0135 3243394 • Ghaziabad Ph: 0120 3193829 • Jammu Ph: 0191 2459440 • Kanpur Ph: 0512 3294006 • Ludhiana Ph: 0161 3265420 • Varanasi Ph: 0542-2108574 **East Zone** • Bhubaneswar Ph: 0674 3257275 • Raipur Ph: 0771 3265450 • Ranchi Ph: 0657 3208030 **North East Zone** • Guwahati Ph: 0361 2492897 • Kolkata Ph: 033 32963221 • Patna Ph: 0612 3248866 **West Zone** • Ahmedabad Ph: 079 27680330 • Bhopal Ph: 0755 3265383 • Jaipur Ph: 0141 2359143 • Mumbai Ph: 022 32996202 • Nagpur Ph: 0712 3294021 • Pune Ph: 020 32516054. **Registered Office:** 33/2905 F, High School Road, Vennala, Kochi - 682 028, Kerala. Ph: 0484-2005000, 3005000. Email: [customercare@vguard.in](mailto:customercare@vguard.in)

Due to the continuous development & product improvement, the company reserves the right to change the specification without any prior notice.