


Rejuvenate your senses

V-Guard Electric Water Heaters



V-Guard Industries Ltd.,
Registered Office: 42/962,
Vennala High School Road,
Vennala, Kochi - 682028, Kerala.
Ph: 0484-2005000, 3005000
www.vguard.in



V-Guard Care
1800 3000 1800 (Toll Free)
1860 180 3000 (Charges Apply)
customercare@vguard.in
CIN: L31200KL1996PLC010010





Intuitive Technology

For over four decades V-Guard lived up to the reputation of making reliable products that were designed to work efficiently and last a lifetime. Now we are taking our next quantum leap. Harnessing the learnings, insights and experience of four decades it will be our endeavour to understand human lives and its relationship with the tools and appliances that he uses. Then, we create a seamless experience with thoughtfully engineered products in our quest to enriching consumer lives.

V-Guard has made waves in the water heater category by adhering to a firm belief in the principles of thoughtful engineering and intelligent design. The very boundaries of what is possible has been pushed in recent years by V-Guard through new product offerings in the water heater industry. V-Guard's water heaters are energy efficient, equipped with advanced coating solutions to protect against rust and high performing, thanks to the top quality materials used in manufacturing the water heaters.

By implementing great designs and innovative features, V-Guard has crafted truly modern water heaters.

Range available



VERANO DG & VERANO

India's first intelligent water heater is here! Bring home the new revolutionary water heater Verano DG with an intelligent scheduler and automatic failure notification. Now, set the temperature of your heater from absolutely anywhere in the world!



PEBBLE (METALLICA & NON-METALLICA)

Welcome the hot new model from the V-Guard water heaters range. Available in two variants called Pebble and Pebble (Metallica), these water heaters come in 7 different colours.



SPRINHOT PLUS

Relax to a soothing and warm water bath after a tiring day using this amazing water heater. We at V-Guard call it the Sprinhot Plus but you can call it your own personal spa.

STEAMER PLUS EPAC

Kick-start your mornings or rejuvenate yourself after a hard day's work with the sturdy and beautiful V-Guard Steamer Plus EPAC. With its simple yet striking design, reliable performance and high energy efficiency, this water heater is a perfect match for modern bathrooms.



STEAMER PLUS ECN

Let your body come to its senses with a supreme bathing experience with the Steamer Plus ECN water heater range.

STEAMER PLUS ECS

A refreshing bathing experience awaits you with the stunning Steamer Plus ECS series.



STEAMER PLUS MSV

This range of V-Guard water heaters is characterised by aesthetic design, a high level of user convenience and economical operation.

STEAMER PLUS MS SLEEK

A revitalising bath is an experience that everyone loves coming back to during winters. Turn it even more beautiful by introducing the Steamer Plus MS Sleek water heater as a companion.



STEAMER PLUS ECH

Treat your body to a hot water bath experience using V-Guard's Steamer Plus ECH water heater range. This water heater adheres to the highest standards of safety.

STEAMER PLUS MS

The Steamer Plus range of water heaters features V-Guard's innovative high quality heating element. It has an inner tank made of steel and provides high energy efficiency.



STEAMER PLUS MSH

Treat your body to a hot water bath experience using a suitable pick from V-Guard's Steamer Plus MSH water heater range. This water heater adheres to the highest standards of safety.

STEAMER SERIES

Need hot water at the flick of a switch? Get a water heater from the Steamer Series today. It provides you with perfect temperature water and also helps you save on your electricity bills.



VERANO DG

- Digital Temperature control with LED display
- Intelligent Scheduler (Once the time & temperature is set, the EWH will work automatically) – 2 Scheduling options available
- Control using an Android / iOS smartphone through the Internet from anywhere in the world
- Using the App, it is possible to: Change/monitor temperature, Change modes / Set Schedules / Monitor Energy Consumption / One touch complaint registration
- Temperature alert while reaching the set temperature
- Automatic dry heating detection & cut off system (along with alert to customer, if connected with smartphone) control using IR remote
- Verano series comes with a product warranty of 3 years, heating element warranty of 4 years and inner tank warranty of 8+2 years



Capacity	Model Name	Rating in Watts	Star rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm² (Max)
15 Ltr	Verano DG 15	2000	5 star	40	42	V	8
25 Ltr	Verano DG 25	2000	5 star	46	48.5	V	8



Energy consumption monitoring through mobile app



Hot water ready notification through mobile app




Automatic dry heating protection system



IR remote control



Touch menu setting




VERANO

- Electric water heater with ABS outer body and 0.3cm (3mm) thick EPAC (Engineered Polymer Anti Corrosion) coated inner tank to suit any kind of water
- 5-star rating as per BEE standard
- Vitreous enamel coated Incoloy 800 heating element for long life
- Adjustable capillary thermostat for temperature regulation
- Pressure pump / multistoried building usage compatibility with 8kg/cm² pressure withstanding
- Multi functional safety valve
- Verano series comes with a product warranty of 2 years and heating element warranty of 4 years and inner tank warranty of 8+2 years

Capacity	Model Name	Rating in Watts	Star rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm² (Max)
10 Ltr	Verano 10	2000	5 star	37.5	39.6	V	8
15 Ltr	Verano 15	2000	5 star	40	42	V	8
25 Ltr	Verano 25	2000	5 star	46	48.5	V	8



Unique EPAC Tank - EPAC (Engineered Polymer Anti Corrosion) coated inner tank that makes it suitable for hard water too



Suitable for High Rise Buildings - Pressure-resistant technology which suits high-rise buildings where water pressure is up to 8kg/cm²



Sacrificial anode for extended life span



Outer cover made of rust proof ABS material




PEBBLE METALLICA SERIES

- Electric water heater with ABS outer body and 0.3cm (3mm) thick EPAC (Engineered Polymer Anti Corrosion) coated inner tank to suit any kind of water
- 5-star rating as per BEE standard
- Metallic finish front panel and colour change options to suit the bathroom interior
- Vitreous enamel coated Incoloy heating element for long life
- Adjustable capillary thermostat for temperature regulation
- Pressure pump / multistoried building usage compatibility with 8kg/cm² pressure withstanding
- Multi functional safety valve
- Pebble Metallica series comes with a product warranty of 3 years and heating element warranty of 4 years and inner tank warranty of 8+2 years

Colours Available



Capacity	Model Name	Rating In Watts	Star rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm ² (Max)
6 Ltr	Pebble 6 (Metallica Series)	2000	5 Star	29.3	31.35	V	8
10 Ltr	Pebble 10 (Metallica Series)	2000	5 Star	33.2	35.3	V	8
15 Ltr	Pebble 15 (Metallica Series)	2000	5 Star	35.6	38.4	V	8
25 Ltr	Pebble 25 (Metallica Series)	2000	5 Star	38.6	46.85	V	8



Unique EPAC Tank - EPAC (Engineered Polymer Anti Corrosion) coated inner tank that makes it suitable for hard water too



Suitable for High Rise Buildings - Pressure-resistant technology which suits high-rise buildings where water pressure is up to 8kg/cm²



Sacrificial anode for extended life span



Outer cover made of rust proof ABS material

PEBBLE SERIES


- Electric water heater with ABS outer body and 0.3cm (3mm) thick EPAC (Engineered Polymer Anti Corrosion) coated inner tank to suit any kind of water
- 5-star rating as per BEE standard
- Interchangeable colour panel option to suit the bathroom interior
- Vitreous enamel coated Incoloy heating element for long life
- Adjustable capillary thermostat for temperature regulation
- Pressure pump / multistoried building usage compatibility with 8kg/cm² pressure withstanding
- Multifunctional safety valve
- Pebble series comes with a product warranty of 2 years, heating element warranty of 4 years and inner tank warranty of 7 years



Colours Available



Capacity	Model Name	Rating In Watts	Star rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm ² (Max)
6 Ltr	Pebble 6	2000	5 Star	29.3	31.35	V	8
10 Ltr	Pebble 10	2000	5 Star	33.2	35.3	V	8
15 Ltr	Pebble 15	2000	5 Star	35.6	38.4	V	8
25 Ltr	Pebble 25	2000	5 Star	38.6	46.85	V	8



Unique EPAC Tank - EPAC (Engineered Polymer Anti Corrosion) coated inner tank that makes it suitable for hard water too



Suitable for High Rise Buildings - Pressure-resistant technology which suits high-rise buildings where water pressure is up to 8kg/cm²



Sacrificial anode for extended life span



Outer cover made of rust proof ABS material



PEBBLE INSTA

- Outer cover made of rust proof ABS material
- PUF insulation to minimize heat loss and reduce power consumption
- Inner tank made of 304L grade Jindal / Tata brand Stainless Steel
- Can withstand working pressure up to 6.5kg/cm²
- Heating element with ISI mark for extra long life
- Multiple colour panel options to suit the bathroom interior
- Safety devices
- ISI marked
- Pebble Insta comes with product warranty of 2 years and inner tank warranty of 5 years



IRIS

- Outer cover made of rust proof engineered polymer material
- PUF insulation to minimize heat loss and reduce power consumption
- Inner tank made of 304 grade Jindal / Tata brand Stainless Steel
- Can withstand working pressure up to 6.5kg/cm²
- Heating element with ISI mark for extra long life
- Available in attractive Ivory colour
- Safety devices
- ISI marked
- Iris comes with product warranty of 2 years and inner tank warranty of 5 years

Colours Available



Capacity in Litres	Series Name	Rating in Watts	Body Dia in cm	Body height in cm	Version of mounting	Working Pressure in Kg/cm²
3 Ltr	Pebble Insta	3000	27	27.4	V	6.5

Capacity in Litres	Series Name	Rating in Watts	Body Dia in cm	Body height in cm	Version of mounting	Working Pressure in Kg/cm²
3 Ltr	Iris	3000	16.9	34.1	V	6.5

Electric Water Heater with SS Tank for long life

Sacrificial Anode for extended life span

Replacement warranty 5 years for inner tank

Electric Water Heater with SS Tank for long life

Sacrificial anode for extended life span

Replacement warranty 5 years for inner tank



SPRINHOT & SPRINHOT CLASSIC SERIES

- Outer cover made of rust proof ABS material
- Inner tank made of 304 grade Jindal / Tata brand Stainless Steel
- Can withstand pressure up to 6.5kg/cm²
- Heating element with ISI mark for extra long life
- Automatic temperature regulation through thermostat
- Safety devices
- ISI marked
- Sprinhot & Sprinhot Classic series comes with product warranty of 2 years and inner tank warranty of 5 years



SPRINHOT PLUS


- Outer cover made of rust proof ABS material
- PUF insulation to minimize heat loss and reduce power consumption
- Inner tank made of 304L Grade Jindal / Tata brand Stainless Steel
- 15 & 25 Ltr capacities can withstand pressure up to 6.5kg/cm²
- All other capacities can withstand pressure up to 3.5 Kg/cm²
- ACC protection in inner tank
- 5-Star rated from BEE for 50% energy saving technology
- Adjustable capillary thermostat in 15, 25 & 35 Ltr
- Available in attractive Ivory colour
- Penta Safety System
- Sacrificial anode for extra long life
- ISI marked Sprinhot Plus series comes with a product warranty of 2 years and inner tank warranty of 5 years


Capacity	Model Name	Rating In Watts	Star rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm² (Max)
6 Ltr	Sprinhot Plus 6	3000	5 Star	25.5	36.4	V	3.5
10 Ltr	Sprinhot Plus 10	3000	5 Star	29.7	41.2	V	3.5
15 Ltr	Sprinhot Plus 15	2000	5 Star	32.1	44.7	V/F	6.5
25 Ltr	Sprinhot Plus 25	2000	5 Star	38.7	57.8	V/H	6.5


Electric Water Heater with ABS Outer Body and SS Tank with ACC protection for long life


Sacrificial anode for extended life span


Replacement warranty 5 years for inner tank


PUF insulation to minimize heat loss and reduce power consumption




Electric Water Heater with ABS Outer Body and SS Tank for long life


Sacrificial anode for extended life span


Replacement warranty 5 years for inner tank

Capacity	Model Name	Rating In Watts	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm²(Max)
1 Ltr	Sprinhot	3000/4500	15.6	27.5	V	6.5
3 Ltr	Sprinhot	3000/4500	21.1	31.1	V	6.5
1 Ltr	Sprinhot Classic	3000	15.6	27.5	V	6.5
3 Ltr	Sprinhot Classic	3000	21.1	31.1	V	6.5

STEAMER

- Outer cover made of Powder-coated Mild Steel
- Non Hygroscopic Glass Wool insulation to minimize heat loss and reduce power consumption
- Inner tank made of 304L Grade Jindal / Tata brand Stainless Steel
- 15 & 25 Ltr capacities can withstand pressure up to 6.5kg/cm²
- All other capacities can withstand pressure up to 3.5kg/cm²
- ACC protection in inner tank
- Heating Element with ISI mark for extra long life
- High quality capillary thermostat
- Available in attractive ivory colour
- Penta Safety System
- Sacrificial anode for extra long life
- ISI marked
- Steamer series comes with a product warranty of 2 years and inner tank warranty of 5 years



Capacity	Model Name	Rating In Watts	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm² (Max)
6Ltr	Steamer 6	3000	25	34	V	3.5
10 Ltr	Steamer 10	3000	25	41.5	V	3.5
15 Ltr	Steamer 15	2000	30.3	41	V/H	6.5
25 Ltr	Steamer 25	2000	35.5	46.5	V/H	6.5
35 Ltr	Steamer 35	2000	35.5	61	V/H	3.5
50 Ltr	Steamer 50	3000	42	62	V/F	3.5




Electric Water Heater with Powder-coated Outer Body and SS Tank with ACC protection for long life



Sacrificial anode for extended life span



Replacement warranty 5 years for inner tank



Unique EPAC Tank - EPAC (Engineered Polymer Anti Corrosion) coated inner tank that makes it suitable for hard water too



Sacrificial anode for extended life span



Replacement warranty 7 years for inner tank



STEAMER PLUS EPAC

- Electric Water Heater with ABS outer body and 0.3 cm thick EPAC (Engineered Polymer Anti Corrosion) coated inner tank to suit hard water too
- 5-Star rating as per BEE standard
- Vitreous enamel coated Incoloy heating element for long life
- External adjustable controller for temperature regulation
- Can withstand working pressure up to 8kg/cm²
- Multifunctional safety valve
- Steamer plus EPAC series comes with 2 year product warranty, 3 years for heating element and 7 years warranty for the inner tank


Capacity in Litres	Series Name	Rating in Watts	Star Rating	Body Dia in cm	Body height in cm	Version of mounting	Working Pressure in Kg/cm²
15 Ltr	Steamer Plus EPAC	2000	5 star	30.6	50	V	8
25 Ltr	Steamer Plus EPAC	2000	5 star	36.2	53.8	V	8




STEAMER PLUS ECN

- Outer cover made of high quality Powder-coated Mild Steel & ABS end covers
- PUF insulation to minimize heat loss and reduce power consumption
- Inner tank made of high quality steel with glass-lined AC coating
- Suitable for multistoried buildings and can withstand pressure up to 8kg/cm²
- High-quality Incoloy 840 heating element
- 5-Star rated from BEE for its Energy saving technology
- Capillary thermostat for external temperature control
- Sacrificial anode for extended life span
- Analogue temperature indicator
- Safety devices
- Multifunction valve
- Steamer plus ECN series comes with 2 year product warranty, 3 years for heating element and 7 years warranty for inner tank.


Capacity	Model Name	Rating In Watts	Star Rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm² (Max)
15 Ltr	Steamer Plus MSV 15 ECN Series	2000	5 Star	30	46	V	8
25 Ltr	Steamer Plus MSV 25 ECN Series	2000	5 Star	35	54.5	V	8




Glass-Lined AC Coating



Sacrificial anode for extended life span



PUF insulation to minimize heat loss and reduce power consumption





STEAMER PLUS ECS

- Outer cover made of high quality Powder-coated Mild Steel & ABS end covers
- PUF insulation to minimize heat loss and reduce power consumption
- Inner tank made of high quality steel with glass-lined AC coating
- Suitable for multistoried buildings and can withstand pressure up to 8kg/cm²
- High quality Incoloy 840 heating element
- 5-Star rated from BEE for its Energy saving technology
- Capillary thermostat for external temperature control
- Sacrificial anode for extended life span
- Analogue temperature indicator
- Safety devices
- Multifunction valve
- Steamer plus ECS series comes with 2 year product warranty, 3 years for heating element and 7 years warranty for inner tank




Capacity	Model Name	Rating In Watts	Star Rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm²(Max)
15 Ltr	Steamer Plus MSV 15 ECS Series	2000	5 Star	30	46	V	8
25 Ltr	Steamer Plus MSV 25 ECS Series	2000	5 Star	35	54.5	V	8






Glass-Lined AC Coating



Sacrificial anode for extended life span



PUF insulation to minimize heat loss and reduce power consumption

STEAMER PLUS MSV

- Outer cover made of high quality Powder-coated Mild Steel & ABS end covers
- PUF insulation to minimize heat loss and reduce power consumption
- Inner tank made of high quality steel with Glass-Lined AC coating
- Suitable for multistoried building and can withstand pressure up to 8kg/cm²
- High quality Incoloy 840 heating element
- 4-Star & 3-Star rated from BEE for its energy saving technology
- Capillary thermostat for external temperature control
- Sacrificial anode for extended life span
- Analogue temperature indicator
- Safety devices
- Multifunction valve




Capacity	Model Name	Rating In Watts	Star Rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm² (Max)
15 Ltr	Steamer Plus MSV 15	2000	4 Star	30	46	V	8
25 Ltr	Steamer Plus MSV 25	2000	5 Star	35	54.5	V	8
35 Ltr	Steamer Plus MSV 35	2000	3 Star	35	68	V	8
50 Ltr	Steamer Plus MSV 50	3000	3 Star	39	74.5	V	8
100 Ltr	Steamer Plus MSV 100	3000	3 Star	46	91	V	8

Glass-Lined
AC Coating

Sacrificial anode
for extended
life span


PUF insulation to
minimize heat loss
and reduce power
consumption



KRYSTAL PLUS

- Outer cover made of rust proof ABS material in attractive white colour
- PUF insulation to minimize heat loss and reduce power consumption
- Inner tank made of high quality Steel with Glass-Lined AC coating
- Suitable for multistoried building and can withstand pressure up to 8kg/cm²
- High quality Incoloy 840 heating element
- 5-Star rated from BEE for its energy saving technology
- Capillary thermostat for external temperature control
- Sacrificial anode for extended life span
- Safety devices
- Multifunction valve
- Krystal Plus series comes with a product warranty of 2 years and inner tank warranty of 5 years

Capacity	Model Name	Rating In Watts	Star Rating	Body Dia (in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm² (Max)
6 Ltr	Krystal Plus 6	2000	5 Star	30.5	30.5	V	8
10 Ltr	Krystal Plus 10	2000	5 Star	34.5	34.5	V	8
15 Ltr	Krystal Plus 15	2000	5 Star	38.5	38.5	V	8
25 Ltr	Krystal Plus 25	2000	5 Star	43.5	43.5	V	8



Electric Water Heater
with ABS Outer Body
and inner tank with
Glass-Lined AC Coating
for long life

Sacrificial anode
for extended
life span

Replacement
warranty
5 years for
inner tank

PUF insulation to
minimize heat loss
and reduce power
consumption



STEAMER PLUS ECH

- Outer cover made of high quality Powder-coated Mild Steel & ABS end covers
- PUF insulation to minimize heat loss and reduce power consumption
- Inner tank made of high quality steel with glass-lined AC coating
- Suitable for multistoried buildings and can withstand pressure up to 8kg/cm²
- High quality Incoloy 840 heating element
- Capillary thermostat for external temperature control
- Sacrificial anode for extended life span
- Analogue temperature indicator
- Safety devices
- Multifunction valve
- Steamer plus ECH series comes with 2 year product warranty, 3 years for heating element and 7 years warranty for inner tank.

Capacity	Model Name	Rating In Watts	Star Rating	Body Dia (in cm)	Body Length (in cm)	Version of mounting	Working pressure Kg/cm ² (Max)
15 Ltr	Steamer Plus MS 15 ECH Series	2000	3 Star	30	52	H	8
25 Ltr	Steamer Plus MS 25 ECH Series	2000	3 Star	30	75.4	H	8



Glass-Lined
AC Coating




Sacrificial anode
for extended
life span



PUF insulation to
minimize heat loss
and reduce power
consumption



Replacement warranty
7 years for inner tank &
3 years for heating Coil



STEAMER PLUS MS SLEEK

- Outer cover made of high quality Powder-coated Mild Steel & ABS end covers
- PUF insulation to minimize heat loss and reduce power consumption
- Inner tank made of high quality steel with Glass-Lined AC coating
- Suitable for multistoried building and can withstand pressure up to 8kg/cm²
- High quality Incoloy 840 heating element
- Capillary thermostat for external temperature control
- Sacrificial anode for extended life span
- Safety devices
- Multifunction valve
- Available with an inlet outlet pipe in the left hand side (LHS) as well as right hand side (RHS)
- Steamer Plus MS Sleek series comes with a product warranty of 2 years and inner tank warranty of 5 years



Capacity	Model Name	Rating In Watts	Star Rating	Body Dia(in cm)	Body Height (in cm)	Version of mounting	Working pressure Kg/cm ² (Max)
15 Ltr	Steamer Plus MS Sleek 15 RHS	2000	3 star	28.5	60	V/H	8
25 Ltr	Steamer Plus MS Sleek 25 RHS	2000	3 star	28.5	86	V/H	8
15 Ltr	Steamer Plus MS Sleek 15 LHS	2000	3 star	28.5	60	V/H	8
25 Ltr	Steamer Plus MS Sleek 25 LHS	2000	3 star	28.5	86	V/H	8



PUF insulation to
minimize heat loss
and reduce power
consumption



Replacement warranty
7 years for inner tank &
3 years for heating Coil



Sacrificial anode
for extended
life span



Glass-Lined
AC Coating



STEAMER PLUS MSH

- Outer cover made of rust proof ABS material in attractive white colour
- PUF insulation to minimize heat loss and reduce power consumption
- Inner tank made with high quality steel with 0.3cm (3mm) thick EPAC (Engineered Polymer Anti Corrosion) coating to suit any kind of water
- Suitable for multistoried buildings and can withstand pressure up to 8kg/cm²
- High quality Incoloy 840 heating element
- Capillary thermostat for external temperature control
- Sacrificial anode for extended life span
- Safety devices
- Multifunction valve
- Steamer plus MSH series comes with a product warranty of 2 years and inner tank warranty of 5 years

Capacity	Model Name	Rating In Watts	Star Rating	Body Dia (in cm)	Body Length (in cm)	Version of mounting	Working pressure Kg/cm² (Max)
10 Ltr	Steamer Plus MSH	2000	3 Star	23.5	44.4	H	8



PUF insulation to minimize heat loss and reduce power consumption



Sacrificial anode for extended life span



Glass-Lined AC Coating



STEAMER PLUS MS

- Outer cover made of high quality Powder-coated Mild Steel & ABS end covers
- PUF insulation to minimize heat loss and reduce power consumption
- Inner tank made of high-quality steel with Glass-Lined AC coating
- Suitable for multistoried building and can withstand pressure up to 8kg/cm²
- High quality Incoloy 840 heating element
- Capillary thermostat for external temperature control
- Sacrificial anode for extended life span
- Analogue temperature indicator
- Multifunction valve
- Safety devices
- Steamer Plus MS series comes with a product warranty of 2 years and inner tank warranty of 5 years



Capacity	Model Name	Rating In Watts	Body Dia (in cm)	Body Length (in cm)	Version of mounting	Working pressure Kg/cm² (Max)
15 Ltr	Steamer Plus MS 15	2000	30	52	H	8
25 Ltr	Steamer Plus MS 25	2000	30	75.4	H	8
35 Ltr	Steamer Plus MS 35	2000	35	68	H	8
50 Ltr	Steamer Plus MS 50	3000	39	74.6	H	8
100 Ltr	Steamer Plus MS 100	3000	46	96	H	8



Glass-Lined AC Coating



Sacrificial anode for extended life span



PUF insulation to minimize heat loss and reduce power consumption

SAFEFLO PLUS

- Suitable for Ultra Low Pressure application
- Automated ignition system instant heating
- Extra protection with Double Solenoid valve
- Overheat Protection
- 20 minute gas flow cut-off timer
- PRV for water high pressure protection
- Suitable for multistoried buildings
- Summer / Winter burner selection
- SS burner
- Copper heat exchanger



Capacity	Model Name	Water Pressure	Gas Pressure (LPG)	Rated heat load	Power (Dry battery)
6 Ltr	Safeflo Plus	0.008-8 kg/cm ²	0.028 kg/cm ²	12 kw	1.5VX2 nos
6 Ltr	Safeflo Prime	0.008-8 kg/cm ²	0.028 kg/cm ²	12 kw	1.5VX2 nos



High safety



Instant heating



Anti freeze protection



Ultra low pressure application



Electronic cut off for no water flow



Suitable for multistoried building



ROOM HEATERS & IMMERSION HEATERS

RH3HT1000 New dual tone sleek design • Wider angle oscillation • Instant heating • 400/800/1200 W heat settings • Over heat protection • Automatic Tip over protection

RH2HC-2100 Double protection against over heating • Compact and elegant design • 1000/2000 W Heat Settings • Low noise performance • Faster Heating • Fan only mode

RH2QT-1000 Compact and elegant design • Faster heating • No noise • 400/800 watt heat setting • Automatic Tip over protection

RH9F-1000 Cord storage and rear safety cover • Over heat protection and tilt over switch for safety • Thermostatic heat control and castor wheels for easy mobility • 3 power settings 1000/1500/2000 watts with additional 400 watts (Heater + Fan) • Thermostatic heat control

RH11F-1000 Cord storage • Rear safety cover • Overheat protection • Tilt over switch for safety • Thermostatic heat control • Quick heating with PTC fan • Castor wheels for easy mobility • 3 power settings 1000, 1500 and 2500 watts with additional 400 watts (Heater + Fan) • Power: 2900 watts

Immersion Heater - Smart VIH 101- Smart VIH 151 Engineering plastic handle ensuring complete protection against shock • Specially designed heating element for quick heating • Hanging hook for safe operation • Copper tube element with long lasting nickel plating for long element life • Water level indicator

Immersion Heater - VIH 101- VIH 151 Engineering plastic handle ensuring complete protection against shock • Specially designed heating element for quick heating • Indicator for power on • Hanging hook for safe operation • Copper tube element with long lasting nickel plating for long element life • Water level indicator



RH2QT-1000



RH9F-1000/
RH11F-1000



RH2HC-2100



Smart Immersion Heater
VIH 101- VIH 151



Immersion Heater
VIH 101- VIH 151

Model	Rated Power	Rated Voltage
RH3HT1000	1200 Watts	230 V AC 50Hz
RH2HC-2100	2000 Watts	230 V AC 50Hz
RH2QT-1000	800 Watts	230 V AC 50Hz
RH9F-1000	2500 Watts	230 V AC 50Hz
RH11F-1000	2900 Watts	230 V AC 50Hz

Model	Rated Power	Rated Voltage
VIH 101	1000 Watts	230 V AC 50Hz
VIH 151	1500 Watts	230 V AC 50Hz
Smart VIH 101	1000 Watts	230 V AC 50Hz
Smart VIH 151	1500 Watts	230 V AC 50Hz