



**THE NEW JEWELLERY
FOR YOUR HOME**
.....
V-GUARD NOW IN LIGHTING

LED PANEL

PLASTIC WASTE EPR REGISTRATION
NUMBER: BO-13-000-07-AAACV5492Q-22

COMPANY INTRODUCTION

For over four decades, V-Guard has lived up to the reputation of making reliable products that were designed to work efficiently and last a lifetime. And now we are taking our next quantum leap. Harnessing the learnings, insights and experiences of four decades, it will be our endeavour to understand human lives and their relationship with the tools and appliances that they use.

And then to evolve a seamless experience with thoughtfully engineered products in our quest to enrich consumer lives.

As part of this journey, V-Guard offers an extensive range of lighting solutions designed to enhance modern living spaces with the perfect blend of aesthetics, functionality, and performance. From elegant decorative lights that elevate interiors to versatile lighting solutions crafted for different applications and décor styles, our portfolio is designed to complement every space and lifestyle.

Thoughtfully designed with contemporary styling, quality materials, and dependable performance, V-Guard lighting solutions help create the right ambience while adding character and elegance to your surroundings. With V-Guard, you don't just light up spaces, you bring them to life.





Rejive

MINI



2-year
warranty



	Warm White		Natural White
	Cool White		Red
	Green		Blue
	Pink		



Wide Voltage
Protection**



Surge Protection
Upto 2.5 kV



Fits in to 2 inch
Junction Box

WATTAGES	PRODUCT DIMENSION (In mm)	CUT OUT SIZE(mm)	LUMEN
3 W	85 x 85 x 21	Ø43mm	240*

*Lumen checked in Cool White variant in standard test condition. For Warm White & Natural White variants lumen output will be lower than Cool White Variant.
**Can withstand Low Voltage (160V) & High Voltage (360V) for 2 hours.

Rejive

MINI+



2-year
warranty



Surge Protection
Upto 3 kV



Wide Voltage
Protection**



Fits in to 2.5 & 3
inch Junction Box

WATTAGES	PRODUCT DIMENSION (In mm)	CUT OUT SIZE(mm)	LUMEN
5 W***	108 x 108 x 26	Ø80mm	450*
7 W	108 x 108 x 26	Ø80mm	560*



*Lumen checked in Cool White variant in standard test condition. For Warm White & Natural White variants lumen output will be lower than Cool White Variant.

**Can withstand Low Voltage (160V) & High Voltage (360V) for 2 hours.

***Red, Green, Blue & Pink are available only in 5W

Rejive

PANEL LIGHT



WATTAGES	PRODUCT DIMENSION (In mm)	CUT OUT SIZE(mm)	LUMEN
6 W	120 x 120 x 25	Ø105 (For Round) □105 (For Square)	420*
12 W	170 x 170 x 25	Ø155 (For Round) □155 (For Square)	900*
20 W	220 x 220 x 25	Ø205 (For Round) □205 (For Square)	1600*

*Lumen checked in Cool White variant in standard test condition. For Warm White & Natural White variants lumen output will be lower than Cool White Variant.
 **Can withstand Low Voltage (160V) & High Voltage (360V) for 2 hours.
 ***Slim Design with respect to V-Guard Metal backlit LED Downlight (ENLACE PRO).

Enlace

PANEL LIGHT



Robust Aluminium Housing



Slim Metal Panel***



Wide Voltage Protection**

WATTAGES	PRODUCT DIMENSION (In mm)	CUT OUT SIZE(mm)	LUMEN
6 W	120 x 120 x 12	Ø102 (For Round) □102 (For Square)	420*
12 W	150 x 150 x 12	Ø127 (For Round) □127 (For Square)	1200*
15 W	170 x 170 x 12	Ø152 (For Round) □152 (For Square)	1500*
22 W	225 x 225 x 12	Ø203 (For Round) □203 (For Square)	2200*

*Lumen checked in Cool White variant in standard test condition. For Warm White & Natural White variants lumen output will be lower than Cool White Variant.
 **Can withstand Low Voltage (160V) & High Voltage (360V) for 2 hours.
 ***Slim Design with respect to V-Guard Metal backlit LED Downlight (ENLACE PRO).

Enlace

PRO



2-year
warranty



Warm White



Natural White



Cool White



Decorative Ring
with Minimal Trim



CRI-90



Wide Voltage
Protection**



Surge Protection
Upto 3 kV

WATTAGES	PRODUCT DIMENSION (In mm)	CUT OUT SIZE(mm)	LUMEN
5 W	87 x 87 x 45	Ø78	450*
10 W	121 x 121 x 47	Ø110	900*
15 W	150 x 150 x 47	Ø137	1400*

*Lumen checked in Cool White variant in standard test condition. For Warm White & Natural White variants lumen output will be lower than Cool White Variant.

**Can withstand Low Voltage (160V) & High Voltage (360V) for 2 hours.

Enlace

2X2



2-year
warranty



Warm White



Natural White



Cool White



Easy
Installation



Wide Voltage
Protection**



Surge Protection
Upto 4 kV

WATTAGES

PRODUCT DIMENSION (In mm)

LUMEN

36 W

595 x 595 x 32

3600*

*Lumen checked in Cool White variant in standard test condition. For Warm White & Natural White variants lumen output will be lower than Cool White Variant.
**Can withstand Low Voltage (160V) & High Voltage (400V) for 2 hours.

Rejive

STRIKER



2-year
warranty



- | | | | |
|---|------------|---|---------------|
|  | Warm White |  | Natural White |
|  | Cool White |  | Red |
|  | Green |  | Blue |
|  | Pink | | |



Fits Perfectly in
Small Spaces



Slim Design
16mm



Surge Protection
Upto 2.5 kV

WATTAGES

3 W

PRODUCT DIMENSION (In mm)

50 x 50 x 16

LUMEN

200*

Rejive

STRIKER



2-year
warranty



Slim Design
18mm



Surge Protection
Upto 3 kV



Wide Voltage
Protection**

WATTAGES	PRODUCT DIMENSION (In mm)	LUMEN
5 W	62 x 62 x 18	450*

*Lumen measured in Cool White variant in standard test condition. For Warm White, Natural White, Red, Green, Blue & Pink variants lumen will be lower than cool white variant.
**Can withstand Low Voltage (160V) & High Voltage (360V) for 2 hours.

Rejive

SURFACE



2-year
warranty



Warm White



Natural White



Cool White



Wide Voltage
Protection**



Surge Protection
Upto 3 kV



Sleek Design
27mm

WATTAGES	PRODUCT DIMENSION (In mm)	LUMEN
6 W	90 x 90 x 27	480*
12 W	120 x 120 x 27	960*
18 W	155 x 155 x 27	1440*

*Lumen checked in Cool White variant in standard test condition. For Warm White & Natural White variants lumen output will be lower than Cool White Variant.

**Can withstand Low Voltage (160V) & High Voltage (360V) for 2 hours.







NOTES

[illegible]

[illegible]

V-Guard Industries Ltd.,

Registered Office: 42/962, Vennala High School Road, Vennala, Kochi - 682 028, Kerala.
Ph: 0484-2005000, 4335000 email: customercare@vguard.in | www.vguard.in



V-Guard Care
0120-4850100
1860 180 3000
customercare@vguard.in
© 9633503333

www.vguard.in/home/customer-care
CIN: L31200KL1996PLC010010

PLASTIC WASTE EPR REGISTRATION
NUMBER: BO-13-000-07-AAACV5492Q-22



CNM/JUN/2026