



EXPERIENCE REVITALISING WARMTH WITH V-GUARD WATER HEATERS

Scan the **QR code** to download the
digital version of the **brochure**



SCAN ME



30 YEARS OF UNWAVERING TRUST

Since its establishment in 1977, V-Guard has lived up to its reputation for making reliable products that were designed to work efficiently and to last a lifetime. With a strong emphasis on product quality and customer value, V-Guard earned a reputation for designing and manufacturing products that are built to last. Embracing new frontiers in technology, we are one of the leading consumer electrical brands in India. With a quest for excellence, our endeavour has always been to understand human lives and their relationship with the tools and appliances they use. Thus, we create a seamless experience with thoughtfully engineered products in our quest to enrich consumer lives.

Harnessing the knowledge, insights and experiences, V-Guard made waves in the water heater category with a firm belief in the principles of thoughtful engineering and intelligent design. Being in the water heater segment for 30 years, the very boundaries of what is possible have been pushed in recent years through our new product offering. A fine combination of visual appeal and utility, V-Guard water heaters are energy-efficient, and equipped with advanced coating solutions that protect against rust while ensuring that water remains heated for a longer duration.

With an unwavering commitment to excellence, quality and innovation, we bring to you a range of modern water heaters with a sole purpose - empowering you to bring home a better tomorrow.

RANGE AVAILABLE

INSTANT SERIES



PEBBLE INSTA METRO



IRIS METRO



VINSTA



VINSTA PRIME



VICTO INSTA



CONTINO

TANKLESS SERIES

SMART SERIES



PEBBLE SMART



IRIS SMART



LUXECUBE SMART



PEBBLE DG CONNECT

STORAGE SERIES



IRIS DG



IRIS METRO



IRIS TEZ



PEBBLE METRO



GLADO METRO



PEBBLE DG



VISTORA



EC METRO DG



VALCO TEZ



ECH SLEEK



ECH METRO



LUXECUBE DG



LUXECUBE ELITE



ARIZO DG



ELEGNA

INSTANT SERIES

Enjoy instant hot water shower at any time with V-Guard instant water heaters. Built with a host of safety features, they are available in multiple variants and designs. They are equipped with special PUF insulation that minimises heat loss and decreases power consumption. So, bring home this stylish and elegant instant water heater for all your instant hot water needs and stop worrying about the power consumption.

V-GUARD




PEBBLE INSTA METRO

— INSTANT SERIES





Electric Water Heater with stainless steel tank ensuring long life



Withstands up to 0.65 MPa water pressure making it well-suited for high-rise buildings

Outer cover made of rust-proof ABS material ensuring durability.

Heating element with ISI mark for extra long life.

Withstands up to 0.65 MPa water pressure, making it well-suited for high-rise buildings.

ISI marked Pebble Insta Metro comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 5 years.

CAPACITY	MODEL NAME	POWER IN WATTS	LENGTH (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
3 L	Pebble Insta Metro 3 L	3000 W/4500 W	27.0	22.05	27.45	Vertical	0.65 MPa (6.5kg/cm²)

IRIS

INSTANT SERIES





Electric Water Heater with stainless steel tank ensuring long life



5-year replacement warranty for inner tank

Outer cover made of rust-proof engineered polymer material for enhanced durability.

Inner tank made of 304 grade Jindal/Tata brand Stainless Steel for long life.

Heating element with ISI mark for extra long life.

Equipped with state-of-the-art safety devices.

Withstands up to 0.65 MPa water pressure making it well-suited for high-rise buildings.

Available in an attractive Ivory colour.

ISI marked Iris comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 5 years.

CAPACITY	MODEL NAME	POWER IN WATTS	LENGTH (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
3 L	Iris 3 L	3000 W/4500 W	16.9	16.8	34.1	Vertical	0.65 MPa (6.5 kg/cm²)


VINSTA

— INSTANT SERIES





Electric Water Heater with stainless steel tank ensuring long life



5-year replacement warranty for inner tank

Rust-proof engineered polymer material ensures enhanced durability.

Durable 304L grade branded Stainless Steel inner tank for long life.

Heating element with ISI mark for extra long life.

Withstands up to 0.65 MPa water pressure making it well-suited for high-rise buildings.

Available in an attractive white colour.

ISI marked instant Vinsta Water Heater comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 5 years.

CAPACITY	MODEL NAME	POWER IN WATTS	LENGTH (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
1 L	Vinsta 1 L	3000 W/4500 W	18.2	17.8	30.7	Vertical	0.65 MPa (6.5 kg/cm ²)
3 L	Vinsta 3 L	3000 W/4500 W	18.2	17.8	30.7	Vertical	0.65 MPa (6.5 kg/cm ²)

VINSTA PRIME

INSTANT SERIES





Electric Water Heater with stainless steel tank ensuring long life



5-year replacement warranty for inner tank

Rust-proof engineered polymer material ensures enhanced durability.

Durable 304L grade branded Stainless Steel inner tank for long life.

Available in attractive white colour.

Withstands up to 0.65 MPa water pressure making it well-suited for high-rise buildings.

ISI marked instant Vinsta Prime Water Heater comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 5 years.

CAPACITY	MODEL NAME	POWER IN WATTS	LENGTH (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
3 L	Vinsta Prime 3 L	3000 W	18.1	17.72	34.42	Vertical	0.65 MPa (6.5 kg/cm²)
5 L	Vinsta Prime 5 L	3000 W	21.66	21.19	41.28	Vertical	0.65 MPa (6.5 kg/cm²)


VICTO INSTA 3

INSTANT SERIES






Electric Water Heater with stainless steel tank ensuring long life



Withstands up to 0.65 MPa water pressure making it well-suited for high-rise buildings



5-year replacement warranty for inner tank

Outer cover made of rust-proof engineered polymer material for enhanced durability.

Inner tank made of 304 grade Jindal/Tata brand Stainless Steel for long life.

Heating element with ISI mark for extra long life.

Equipped with state-of-the-art safety devices.

Withstands up to 0.65 MPa water pressure, making it well-suited for high-rise buildings.

Available in an attractive Ivory colour.

ISI marked Victo insta comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 5 years.

CAPACITY	MODEL NAME	POWER IN WATTS	LENGTH (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
3 L	Victo Insta 3 L	3000 W & 4500 W	16.9	16.8	34.1	Vertical	0.65 MPa (6.5 kg/cm ²)

TANKLESS SERIES

Step into a new era of comfort with the sleek, tankless water heater from V-Guard. Compact and stylish, it fits anywhere - kitchen, bathroom, or laundry, and delivers instant hot water whenever you need it. Low maintenance, high convenience. Experience the freedom of hot water, anytime, anywhere!



V-GUARD

CONTINO

42°C

W A

TEMP

CONTINO SERIES

TANKLESS SERIES





Flow based water heater



Inbuilt shock safe module



3 digit 7 segment temperature display

Constant hot water output.

Two touch switches for adjusting the temperature from 30°C to 55°C.

Outer cover made with rust-proof ABS for long life.

Flow-based water heater.

In-built shock-safe module.

Dual thermal protection with combistat.

Suitable for multi-storeyed buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²).

3 digit 7 segment temperature display.

Contino series comes with a 2-year product warranty.

MODEL NAME	POWER IN WATTS	LENGTH (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
Contino 5.5 kW	5500 W	24.0	8.8	31.9	Vertical	0.8 MPa (8 kg/cm ²)
Contino 7 kW	7000 W	24.0	8.8	31.9	Vertical	0.8 MPa (8 kg/cm ²)

SMART SERIES

Experience elevated comfort with V-Guard smart water heaters that offer hot water on demand, energy savings, and the convenience of remote control through a smartphone app. These intelligent appliances maximize efficiency with features like adaptive heating and real-time consumption monitoring. Bring home V-Guard smart water heaters and embrace a smarter way to enjoy hot water.





LUXECUBE SMART

SMART SERIES





ATT (Advanced Thermocline Technology) inside for up to 38% extra hot water* at your preferred temperature



IoT enabled



Dynamic mood lighting

Engineered for ease of use, the digital display panel is tilted at an ergonomic angle, ensuring crystal-clear visibility and intuitive control at a glance.

Crafted with a premium rust-proof ABS outer body for unparalleled durability and enduring elegance.

Withstands up to 0.8 MPa water pressure, making it well-suited for high-rise buildings.

5-star energy rating according to BEE standards, ensuring top-tier efficiency.

Silicone grade internal wiring protection for extra long life and superior safety.

Child Lock, Holiday Mode, and Product Sharing features let you customise the water heater to suit your lifestyle and safety preferences.

Compatible with Amazon Alexa and Google Home, enabling seamless voice control for enhanced convenience and hands-free operation.

Luxecube Smart ensures worry-free showers by continuously monitoring the system.

Create custom schedules to match your routine, ensuring convenience and improved energy efficiency.

Set energy limits and track energy usage in real-time with the V-Guard Smart App for efficient energy management.

Dynamic mood lighting.

Luxecube Smart comes with a product warranty of 3 years, heating element warranty of 4 years and an inner tank warranty of 10 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Luxecube Smart 15 L	2000 W	5 Star	38.5	36.7	39.0	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Luxecube Smart 25 L	2000 W	5 Star	46.0	39.7	46.3	Vertical	0.8 MPa (8 kg/cm ²)

* Percentage may vary based on capacity and test conditions.

PEBBLE SMART

SMART SERIES





Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating for long life



10-year replacement warranty for inner tank

Child Lock: Disables temperature adjustment from the water heater control panel.

The heating schedule can be set on a daily or weekly basis for up to one week, with a maximum of eight different schedules per day.

Three pre-set modes available: Lukewarm, Warm, and Hot.

Self-diagnostic features ensure safe and worry-free warm showers.

The intelligent scheduler allows custom schedule creation for convenience and energy savings.

The dynamic coloured LED display indicates the operation of the water heater and the temperature range.

Compatible with both iOS and Android smartphones.

Holiday mode disables water heating during the set period as configured in the mobile app.

Product controls can be shared with other V-Guard Smart App users by the admin user.

The rust-proof ABS outer cover offers enhanced durability.

Pebble Smart series comes with a product warranty of 3 years, heating element warranty of 4 years and an inner tank warranty of 10 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Pebble Smart 15	2000 W	5 Star	39.12	38.34	38.92	Vertical	0.8 MPa (8 kg/cm²)
25 L	Pebble Smart 25	2000 W	5 Star	46.23	40.25	46.93	Vertical	0.8 MPa (8 kg/cm²)


IRIS SMART SERIES

SMART SERIES





PUF insulation to minimise heat loss and power consumption



Sacrificial anode for added protection against corrosion



Electric Water Heater with rust-proof dual colour ABS outer body and inner tank with glass-lined Anti-Corrosion coating for long life

Operate your water heater from anywhere with IoT connectivity.

Energy limit alert can be set through the mobile app.

The heating schedule of the water heater can be set on a daily or weekly basis for up to one week, with a maximum of 8 different schedules available per day.

Perfect water temperature every time with an advanced thermostat tested to last a lifetime.

Nickel enriched glass-lined incoloy 800 heating element built to deliver and last even in tough conditions.

Self-diagnostic feature for safe and worry-free warm showers.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

Operate your water heater with just your voice using Amazon Alexa or Google Home.

Energy consumption monitoring through the mobile app.

Child lock: Will disable the temperature setting from the water heater control panel.

Holiday mode: Water heating will be disabled from start to end as set in the mobile app.

Product Sharing: Product controls can be shared with other V-Guard Smart App users by the admin user

4-Star rating as per BEE standards.

Iris Smart series comes with a product warranty of 2 years, heating element warranty of 4 years and an inner tank warranty of 10 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Iris Smart 15	2000 W	4 Star	32.6	34.3	49.5	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Iris Smart 25	2000 W	4 Star	38.1	39.8	53.0	Vertical	0.8 MPa (8 kg/cm ²)


PEBBLE DG CONNECT

STORAGE SERIES





Outer cover made with rust-proof ABS for long life



Suitable for multi-storeyed buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²)

The dynamic colored LED display indicates the operation of the water heater and temperature range.

Outer cover made with rust-proof ABS for long life.

Water heater control through internet/Bluetooth via Android/iOS smartphone.

Sterilising Mode: In this mode, the water heater will be sterilised at 80°C for 30 minutes.

V-Guard unique dry heat logics protect the tank from overheating.

Auto power saver mode: This feature automatically switches off when the heater is not in use for a while / forget to switch off.

High-efficiency Incoloy 800 heating coil with corrosion resistance for extra long life.

Suitable for multi-storeyed buildings and can withstand pressure up to 0.8 MPa (8 kg/cm²).

High-quality steel inner tank with glass-lined AC (Anti-Corrosion) coating for long life.

Pebble DG Connect series comes with a product warranty of 3 years, heating element warranty of 4 years and an inner tank warranty of 8 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Pebble DG Connect 6	2000 W	4 Star	33.05	29.87	33.04	Vertical	0.8 MPa (8 kg/cm ²)
10 L	Pebble DG Connect 10	2000 W	5 Star	36.04	34.49	36.31	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Pebble DG Connect 15	2000 W	5 Star	39.12	38.34	38.92	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Pebble DG Connect 25	2000 W	5 Star	46.23	40.25	46.93	Vertical	0.8 MPa (8 kg/cm ²)

STORAGE SERIES

Enjoy a soothing hot water shower at any time with the V-Guard storage series. Aesthetically designed to complement your bathroom decor, they are equipped with some amazing features like faster heating, high storage capacity, lower power consumption and a host of safety features to ensure enhanced performance. Welcome home an ace performer and give yourself a hassle-free hot water bathing experience.





V GUARD

iris

IRIS DG SERIES

STORAGE SERIES






LED display for real-time temperature indication



Electric Water Heater with a rust-proof dual-colour ABS outer body that ensures durability



Sacrificial anode for added protection against corrosion

Electric Water Heater with rust-proof dual colour ABS outer body ensures durability.

4-Star rating as per BEE standards.

LED display for real-time temperature indication.

Iris DG series comes with a product warranty of 2 years, heating element warranty of 4 years and an inner tank warranty of 8 years.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

Titanium infused vitreous enamel coating protects tank from hard water and corrosion.

Perfect water temperature every time with an advanced thermostat tested to last a lifetime.

Nickel-enriched glass-lined incoloy 800 heating element built to deliver and last even in tough conditions.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	Iris DG 10	2000 W	4 Star	32.6	34.3	37.98	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Iris DG 15	2000 W	4 Star	32.6	34.3	49.5	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Iris DG 25	2000 W	4 Star	38.1	39.8	53.0	Vertical	0.8 MPa (8 kg/cm ²)


IRIS METRO SERIES

STORAGE SERIES





Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating for long life



Sacrificial anode for added protection against corrosion



Nickel-enriched glass-lined incoloy 800 heating element built to deliver and last even in tough conditions

Electric Water Heater with rust-proof dual colour ABS outer body for long life.

4-Star rated from BEE for its energy saving technology.

PUF insulation to minimise heat loss and power consumption.

Iris Metro series comes with a product warranty of 3 years, heating element warranty of 4 years and an inner tank warranty of 8 years.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.


Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating for long life.

Multifunctional safety valve ensures safety.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	Iris Metro 10	2000 W	4 Star	32.6	34.3	37.98	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Iris Metro 15	2000 W	4 Star	32.6	34.3	49.5	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Iris Metro 25	2000 W	4 Star	38.1	39.8	53.0	Vertical	0.8 MPa (8 kg/cm ²)


IRIS TEZ

STORAGE SERIES





PUF insulation to minimise heat loss and power consumption



Sacrificial anode for added protection against corrosion



Electric Water Heater with rust-proof dual colour ABS outer body for long life

Electric Water Heater with rust-proof dual colour ABS outer body for long life.

Nickel-enriched glass-lined incoloy 800 heating element built to deliver and last even in tough conditions.

PUF insulation to minimise heat loss and power consumption.

4-Star rating as per BEE standard.

Multifunctional safety valve ensures safety.

Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating for long life.

Adjustment knob for setting the temperature conveniently.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

Iris Tez series comes with a product warranty of 2 years, heating element warranty of 4 years and an inner tank warranty of 8 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Iris Tez 15	3000 W	4 Star	32.6	34.3	49.5	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Iris Tez 25	3000 W	4 Star	38.1	39.8	53.0	Vertical	0.8 MPa (8 kg/cm ²)


PEBBLE METRO SERIES

STORAGE SERIES






Electric Water Heater with rust-proof dual colour ABS outer body and inner tank with glass-lined Anti-Corrosion coating for long life



Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings



10-year replacement warranty for inner tank

5-Star rating according to BEE standards for its energy-saving technology.

Adjustment knob for setting the temperature conveniently.

PUF insulation to minimise heat loss and reduce power consumption.

Sacrificial anode for extended lifespan.


High efficiency Incoloy 800 heating coil with vitreous enamel coating for long life.

Pebble Metro series comes with a product warranty of 3 years, heating element warranty of 4 years and an inner tank warranty of 10 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Pebble Metro 6	2000 W	5 Star	33.05	29.87	33.04	Vertical	0.8 MPa (8 kg/cm ²)
10 L	Pebble Metro 10	2000 W	5 Star	36.04	34.49	36.31	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Pebble Metro 15	2000 W	5 Star	39.12	38.34	38.92	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Pebble Metro 25	2000 W	5 Star	46.23	40.25	46.93	Vertical	0.8 MPa (8 kg/cm ²)


GLADO METRO

STORAGE SERIES





Electric Water Heater with ABS outer body and inner tank made of 304L grade branded Stainless Steel for long life



Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption

4-Star rated by BEE for its energy-saving technology.

Durable 304L grade branded Stainless Steel inner tank for long life.

Rust-proof ABS outer body for enhanced durability.

Glado Metro series comes with a product warranty of 3 years, heating element warranty of 3 years and an inner tank warranty of 5 years.

Adjustment knob for setting the temperature conveniently.

Withstands up to 0.65 MPa water pressure making it well-suited for high-rise buildings.

Multifunctional safety valve ensures safety.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Glado Metro 6	3000 W	4 Star	29.30	30.0	32.2	Vertical	0.65 MPa (6.5 kg/cm ²)
10 L	Glado Metro 10	3000 W	4 Star	32.91	34.6	37.15	Vertical	0.65 MPa (6.5 kg/cm ²)
15 L	Glado Metro 15	2000 W	4 Star	32.91	34.6	47.65	Vertical	0.65 MPa (6.5 kg/cm ²)
25 L	Glado Metro 25	2000 W	4 Star	35.70	37.37	57.65	Vertical	0.65 MPa (6.5 kg/cm ²)


EC METRO DG

STORAGE SERIES





Glass-lined Anti-Corrosion coating that helps fight against corrosion



Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption

Seven segment LED display for real-time temperature indication.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating.

4-Star rated from BEE for its energy saving technology.

Multifunctional safety valve for enhanced safety.

Adjustment knob for setting the temperature conveniently.

Outer cover made of high-quality pre-painted galvanized iron sheet & plastic end cover for long life.

EC Metro DG series comes with a product warranty of 2 years, heating element warranty of 3 years and an inner tank warranty of 8 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	EC Metro DG 6	2000 W	4 Star	30.1	32.1	33.6	Vertical	0.8 MPa (8 kg/cm ²)
10 L	EC Metro DG 10	2000 W	4 Star	30.1	32.1	43.2	Vertical	0.8 MPa (8 kg/cm ²)
15 L	EC Metro DG 15	2000 W	4 Star	32.1	34.1	50.1	Vertical	0.8 MPa (8 kg/cm ²)
25 L	EC Metro DG 25	2000 W	4 Star	38.1	40.1	53.3	Vertical	0.8 MPa (8 kg/cm ²)


ECN METRO

STORAGE SERIES





Glass-lined Anti-Corrosion coating that helps fight against corrosion



Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption

Outer cover made of high quality pre-painted galvanized iron sheet & plastic end cover for long life.

4-Star rated from BEE for its energy saving technology.

Incoloy 800 heating element built to deliver and last even in tough conditions.

Adjustment knob for setting the temperature conveniently.

Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating.

Multifunctional safety valve for enhanced safety.


Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

ECN Metro series comes with a product warranty of 2 years, heating element warranty of 3 years and an inner tank warranty of 8 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	ECN Metro 6	2000 W	4 Star	30.1	32.1	33.6	Vertical	0.8 MPa (8 kg/cm ²)
10 L	ECN Metro 10	2000 W	4 Star	30.1	32.1	43.2	Vertical	0.8 MPa (8 kg/cm ²)
15 L	ECN Metro 15	2000 W	4 Star	32.1	34.1	50.1	Vertical	0.8 MPa (8 kg/cm ²)
25 L	ECN Metro 25	2000 W	4 Star	38.1	40.1	53.3	Vertical	0.8 MPa (8 kg/cm ²)

VALCO TEZ

 STORAGE SERIES






Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption



8-year replacement warranty for inner tank

High-quality steel inner tank with glass-lined AC (Anti-Corrosion) coating for long life.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

PUF insulation to minimise heat loss and power consumption.

4-Star rated from BEE for its energy saving technology.

Outer cover made of high-quality pre-painted galvanized iron sheet & plastic end cover for long life.

Multifunctional safety valve ensures safety.

Adjustment knob for setting the temperature conveniently.

Valco Tez series comes with a product warranty of 2 years, heating element warranty of 2 years, and an inner tank warranty of 8 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Valco Tez 6	3000 W	4 Star	30.1	32.1	33.6	Vertical	0.8 MPa (8 kg/cm ²)
10 L	Valco Tez 10	3000 W	4 Star	30.1	32.1	43.2	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Valco Tez 15	3000 W	4 Star	32.1	34.1	50.1	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Valco Tez 25	3000 W	4 Star	38.1	40.1	53.3	Vertical	0.8 MPa (8 kg/cm ²)


ECH SLEEK

STORAGE SERIES





Glass-lined anti-corrosion coating that helps fight corrosion



Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption



8-year replacement warranty for inner tank

Outer cover made of high-quality pre-painted galvanized iron sheet & plastic end cover for long life.

3-Star rated from BEE for its energy saving technology.

Multifunctional safety valve ensures safety.

ECH Sleek series comes with a product warranty of 2 years, heating element warranty of 3 years and an inner tank warranty of 8 years.

Adjustment knob for setting the temperature conveniently.

Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings.

Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating for long life.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	ECH Sleek 10 (LHS/RHS)	2000 W	3 Star	46.5	32.0	32.0	Horizontal	0.8 MPa (8 kg/cm²)
15 L	ECH Sleek 15 (LHS/RHS)	2000 W	3 Star	57.5	32.0	32.0	Horizontal	0.8 MPa (8 kg/cm²)
25 L	ECH Sleek 25 (LHS/RHS)	2000 W	3 Star	82.0	32.0	32.0	Horizontal	0.8 MPa (8 kg/cm²)


ECH METRO

STORAGE SERIES






Glass-lined anti-corrosion coating that helps fight corrosion



Sacrificial anode for added protection against corrosion



PUF insulation to minimise heat loss and power consumption



Withstands up to 0.8 MPa water pressure making it well-suited for high-rise buildings

Capillary thermostat for easy external temperature control.

Analogue temperature indicator displays temperature.

Incoloy 800 heating element built to deliver and last even in tough conditions.

Adjustment knob for convenient temperature setting.

Multifunctional safety valve ensures safety.

2-Star rated from BEE for its energy saving technology.

High-quality pre-painted galvanised iron sheet outer cover and plastic end cover for enhanced durability.

ECH Metro series comes with a product warranty of 2 years, heating element warranty of 3 years and an inner tank warranty of 8 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	Length (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	ECH Metro 10	2000 W	2 Star	43.2	31.5	30.1	Horizontal	0.8 MPa (8 kg/cm ²)
15 L	ECH Metro 15	2000 W	2 Star	50.1	33.5	32.1	Horizontal	0.8 MPa (8 kg/cm ²)
25 L	ECH Metro 25	2000 W	2 Star	53.3	39.5	38.1	Horizontal	0.8 MPa (8 kg/cm ²)

LUXECUBE DG

STORAGE SERIES





Advanced Thermocline Technology (ATT) inside for up to 38% extra hot water* at your preferred temperature

Elevate the experience with the Luxecube DG Electric Water Heater, featuring a luxurious, premium design and a sleek digital display.

Crafted with a premium rust-proof ABS outer body for unparalleled durability and enduring elegance.

Titanium-infused vitreous enamel coating safeguards the high-quality steel inner tank from hard water and corrosion, ensuring long-term durability.

Advanced Thermocline Technology for unparalleled hot water efficiency and performance.

The Luxecube DG series comes with a product warranty of 3 years, heating element warranty of 4 years and an inner tank warranty of 10 years.

Withstands up to 0.8 MPa water pressure, making it well-suited for high-rise buildings.

Luxe Glow Indication for an elevated aesthetic signature look.

The nickel-enriched incoloy 800 heating element is designed for high efficiency, long-lasting performance, and durability—even in the toughest conditions.

Perfect water temperature every time with an advanced thermostat tested to last a lifetime.

5-Star energy rating according to BEE standards, ensuring top-tier efficiency.

Digital display indicating the real-time internal water temperature.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (IN CM)	DEPTH (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Luxecube DG 15	2000 W	5 Star	38.5	36.7	39.0	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Luxecube DG 25	2000 W	5 Star	46.0	39.7	46.3	Vertical	0.8 MPa (8 kg/cm ²)

* Percentage may vary based on capacity and test conditions.

LUXECUBE ELITE

 STORAGE SERIES





Advanced Thermocline Technology (ATT) inside for up to 38% extra hot water* at your preferred temperature

Enhance the experience with the Luxecube Elite Electric Water Heater, showcasing a luxurious and premium design.

Crafted with a premium rust-proof ABS outer body for unparalleled durability and enduring elegance.

Titanium-infused vitreous enamel coating safeguards the high-quality steel inner tank from hard water and corrosion, ensuring long-term durability.

Nickel-enriched vitreous enamel coated Incoloy 800 heating element, expertly engineered for superior efficiency, performance, and durability, designed to withstand even the harshest conditions.

Perfect water temperature every time with an advanced thermostat tested to last a lifetime.

Luxe Glow Indication for an elevated aesthetic signature look.

5-Star energy rating according to BEE standards, ensuring top-tier efficiency.

Advanced Thermocline Technology for unparalleled hot water efficiency and performance.

The Luxecube Elite series comes with a product warranty of 3 years, heating element warranty of 4 years and an inner tank warranty of 10 years.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (IN CM)	DEPTH (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	Luxecube Elite 10	2000 W	5 Star	35.6	32.5	35.7	Vertical	0.8 MPa (8 kg/cm²)
15 L	Luxecube Elite 15	2000 W	5 Star	38.5	36.7	39.0	Vertical	0.8 MPa (8 kg/cm²)
25 L	Luxecube Elite 25	2000 W	5 Star	46.0	39.7	46.3	Vertical	0.8 MPa (8 kg/cm²)

* Percentage may vary based on capacity and test conditions

ARIZO DG

 STORAGE SERIES





Sacrificial anode for added protection against corrosion



8-year replacement warranty for inner tank

- Premium toughened glass finish with stylish aesthetics.
- LED display for real-time temperature indication.
- Sacrificial anode for extended life span.
- The Arizo DG comes with a product warranty of 2 years, heating element warranty of 3 years and an inner tank warranty of 8 years.

- Inner tank made of high-quality steel inner tank with vitreous enamel coating for long life.
- 5-Star energy rating according to BEE standards, ensuring top-tier efficiency.
- High-efficiency Incoloy 800 heating coil with corrosion resistance for extra long life.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (IN CM)	DEPTH (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
10 L	Arizo DG 10 L	2000 W	5 Star	39.4	31.5	44.4	Vertical	0.8 MPa (8 kg/cm²)
15 L	Arizo DG 15 L	2000 W	5 Star	38.23	29.08	45.38	Vertical	0.8 MPa (8 kg/cm²)
25 L	Arizo DG 25 L	2000 W	5 Star	47.71	30.69	52.69	Vertical	0.8 MPa (8 kg/cm²)


PEBBLE DG

STORAGE SERIES






Outer cover made with rust-proof ABS for long life



10-year replacement warranty for inner tank



Withstands up to 0.8 MPa water pressure, making it well-suited for high-rise buildings

Outer cover made with rust-proof ABS for long life.

LED display for real-time temperature indication.

Adjustment knob for setting the temperature conveniently.

5-Star rating from BEE for its energy saving technology.

Tanks with cutting-edge anti-crack technology withstand high pressure and are well-suited for high-rise buildings.

Pebble DG series comes with a product warranty of 3 years, heating element warranty of 4 years and an inner tank warranty of 10 years.

Nickel-enriched incoloy 800 heating element built to deliver and last even in tough conditions.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (IN CM)	DEPTH (IN CM)	HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
15 L	Pebble DG 15	2000 W	5 Star	39.12	38.34	38.92	Vertical	0.8 MPa (8 kg/cm²)
25 L	Pebble DG 25	2000 W	5 Star	46.23	40.25	46.93	Vertical	0.8 MPa (8 kg/cm²)


VISTORA

STORAGE SERIES





PUF insulation to minimise heat loss and power consumption



7-year replacement warranty for the inner tank

Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating ensures durability.

PUF insulation to minimise heat loss and power consumption.

Multifunctional safety valve ensures safety.

Vistora series comes with a product warranty of 2 years, heating element warranty of 2 years and an inner tank warranty of 7 years.

Adjustment knob for setting the temperature conveniently.

4-Star rated from BEE for its energy saving technology.


Withstands up to 0.8 MPa water pressure, making it well-suited for high-rise buildings.

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (IN CM)	DEPTH (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Vistora 6	2000 W	4 Star	30.1	32.1	33.6	Vertical	0.8 MPa (8 kg/cm ²)
10 L	Vistora 10	2000 W	4 Star	30.1	32.1	43.2	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Vistora 15	2000 W	4 Star	32.1	34.1	50.1	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Vistora 25	2000 W	4 Star	38.1	40.1	53.3	Vertical	0.8 MPa (8 kg/cm ²)


ELEGNA

STORAGE SERIES





Sacrificial anode for added protection against corrosion



8-year replacement warranty for the inner tank

Electric Water Heater with rust-proof Plastic outer body.

High-efficiency Incoloy 800 heating coil with corrosion resistance for extra long life.

Sacrificial anode for extended life span.

Inner tank made of high-quality steel with glass-lined Anti-Corrosion coating.

4-Star energy rating according to BEE standards, ensuring top-tier efficiency.

The Elegna series comes with a product warranty of 2 years, heating element warranty of 3 years and an inner tank warranty of 8 years

CAPACITY	MODEL NAME	POWER IN WATTS	STAR RATING	LENGTH (IN CM)	DEPTH (IN CM)	BODY HEIGHT (IN CM)	VERSION OF MOUNTING	WORKING PRESSURE IN MPa (MAX)
6 L	Elegna 6 L	2000 W	4 Star	30.5	32.3	33.6	Vertical	0.8 MPa (8 kg/cm ²)
10 L	Elegna 10 L	2000 W	4 Star	30.5	32.3	43.2	Vertical	0.8 MPa (8 kg/cm ²)
15 L	Elegna 15 L	2000 W	4 Star	32.6	34	50.1	Vertical	0.8 MPa (8 kg/cm ²)
25 L	Elegna 25 L	2000 W	4 Star	38.5	40	53.3	Vertical	0.8 MPa (8 kg/cm ²)





COMPLETE WATER HEATING SOLUTIONS FROM **V-GUARD**



WATER HEATERS



SOLAR WATER HEATERS



**DOMESTIC HEAT PUMP
WATER HEATER**

**COMMERCIAL HEAT PUMP
WATER HEATER**

HEAT PUMP WATER HEATERS



- * All performance parameters are checked under standard test conditions at 230 V, 50 Hz Ac
- * Colours and specifications are subject to change without prior notice
- * Colours shown may not match the actual colours due to printing limitations

V-Guard Industries Ltd. ,

Registered Office: 42/962, Vennala High School Road, Vennala, Kochi - 682 028, Kerala.

Ph: 0484-2005000, 4335000 email: customercare@vguard.in | www.vguard.in



V-Guard Care
0120-4850100
1860 180 3000
customercare@vguard.in
9633503333

www.vguard.in/home/customer-care
CIN: L31200KL1996PLC010010

PLASTIC WASTE EPR REGISTRATION
NUMBER: BO-13-000-07-AAACV5492Q-22



CNM/JUL/2026